

```
@misc{STRUCTURE2019,
  url = {https://orbi.uliege.be/bitstream/2268/242017/1/Bruyneel_C146.pdf},
  title = "{$Design and sizing of an airship supported by CAE}$",
  author = {Vasudevan, Durga and Mohan, Hariharan and Gaggar, Saarang and Gupta, Ramesh Burela},
  abstract = "{$This paper describes research activities that were undertaken for the design of an airship using hydrogen as lifting gas. Even if the final airship should be able to transport a 40 tons container, the first phase of the project was dedicated to the design and sizing of a smaller demonstrator of about 16m long that will show all the technical difficulties that will be encountered on the final structure of larger size. The paper explains the design concepts and illustrates how finite elements and structural optimization were used to support the sizing of the airship structural components.}$",
  year = {2019},
}

@article{ENVELOPEMATERIALS2,
  author = {M. Bruyneel, O. Banse, L. Fitschy, S. Gohy, J. Buret, N. Caeymax, M. Duponcheel, P. Hendrick, E. Callut},
  title = "{$Analysis and retardation of helium permeation for high altitude airship envelope material}$",
  journal = {AIP Conference Proceedings},
  volume = {2148},
  number = {1},
  year = {2019},
  month = {09},
  abstract = "{$Airships are fast gaining popularity as one of the most prominent modes of surveillance, reconnaissance and providing connectivity in remote areas. These airships work on the Archimedes' principle, and employ gases which are lighter than air to stay afloat in the atmosphere. These gases are the most critical and costly support element for the usage of such airships as the permeation of these gases through the envelope material limits the flight duration of the airship and further increases the cost associated with transporting and refilling of the airship, thereby limiting its utility. Engineering the material of the envelope, so as to be able to minimize the leakage of gas, becomes the most important challenge for engineers designing the airships. The traditional experimental techniques used to analyse the permeation through the laminate are known to be extremely sensitive to minor variations in temperature and pressure and involve specialized equipment, time and money. This paper proposes and discusses alternate Computational Fluid Dynamics based 2D and 3D approaches to analyse the permeation of the gas through the envelope material, particularly for high altitude airship applications. In addition to this, this paper proposes a method to determine the best suited material for the airship envelope through a qualitative and quantitative permeation analysis of different combinations of material options.}$",
  issn = {0094-243X},
  doi = {10.1063/1.5123949},
  url = {https://doi.org/10.1063/1.5123949},
```

```
note = {030027},
eprint =
{https://pubs.aip.org/aip/acp/article-pdf/doi/10.1063/1.5123949/14195208/030027\_1\_online.pdf},
}

@article{ENVELOPEMATERIALS,
author = {Stockbridge, Casey and Ceruti, Alessandro and Marzocca, Pier},
year = {2012},
month = {06},
pages = {170-187},
title = {Airship Research and Development in the Areas of Design, Structures, Dynamics and Energy Systems},
volume = {13},
journal = {International Journal of Aeronautical and Space Sciences},
doi = {10.5139/IJASS.2012.13.2.170}
}

@misc{Keefe_2018,
  title = "{The Triple Constraints of Project Management and Why They Matter}",
  url =
"https://toggl.com/blog/the-triple-constraints-of-project-management" ,
  journal = "{Toggl Blog}",
  author = "{Keefe, Rose}",
  year = "{2018}",
  month = "{Aug}"
}

@misc{Silva_2022,
  title = "{Guide to Social Security in Portugal}",
  url =
"https://www.portugal.com/moving-to-portugal/guide-to-social-security-in-portugal/" ,
  journal = "{Portugal.com}",
  author = "{Silva, Lara}",
  year = "{2022}",
  month = "{Sep}"
}

@inproceedings{inproceedings,
author = {Sonawane, Bhushan and Fernandes, Marvin and Pant, Varun and Tandale, Madhukar and Pant, Rajkumar},
year = {2014},
month = {08},
pages = {},
title = {Material Characterization of Envelope Fabrics for Lighter Than Air Systems}
}
```

```
@misc{Sprint_Retrospective,
  title = "{What Is the Goal of Sprint Retrospective Meeting?}",
  url =
"{https://www.wrike.com/scrum-guide/faq/what-is-the-goal-of-sprint-retrospective-meeting/}",
  author = "{Wrike}",
  year = "{2023}",
  address = "{[Accessed in March 2023]}",
}

@misc{Sprint_Review,
  title = "{What is a Sprint Review? Definition, Purpose, and Template}",
  url = "{https://www.nuclino.com/articles/sprint-review}",
  author = "{Nuclino}",
  year = "{2023}",
  address = "{[Accessed in March 2023]}",
}

@misc{Shah_2021,
  title = "{Understanding Triple Constraint: The Project Management Triangle}",
  url =
"{https://project-management.com/triple-constraint-project-management-triangle/}",
  publisher = "{project-management.com}",
  author = "{Shah, Harshal}",
  year = "{2021}",
  address = "{[Accessed in March 2023]}",
}

@misc{CorporateFinanceInstitute_2020,
  title = "{Quality Management}",
  url =
"{https://corporatefinanceinstitute.com/resources/management/quality-management/}",
  author = "{Corporate Finance Institute}",
  year = "{2020}",
  address = "{[Accessed in March 2023]}",
}

@misc{Fernando_2023,
  title = "{What Are Stakeholders: Definition, Types, and Examples}",
  url = "{https://www.investopedia.com/terms/s/stakeholder.asp}",
  publisher = "{Investopedia}",
  author = "{Fernando, Jason}",
  year = "{2023}",
  address = "{[Accessed in March 2023]}",
}

@misc{Stakeholder_Management,
  title = "{Stakeholder Management},
```

```
url = "{https://www.projectmanager.com/guides/stakeholder-management}",
author = "{Project, Manager}",
year = "{2023}",
address = "[Accessed in March 2023]",
}

@misc{Kitch_2023,
title = "How to Create a Stakeholder Map [Templates & Examples]",
url = "https://www.mural.co/blog/stakeholder-mapping",
author= "{Mural}",
author= "{Kitch, Bryan}",
year = "{2023}",
address = "[Accessed in March 2023]",
}

@misc{Akilux2023,
author = "{Corplex}",
title = {Akilux® Plaques de Polypropylène Alvéolaire},
year = {2020},
address = "[Accessed in March 2023]",
url = "https://corplex.com/fr/plaque-en-plastique/akylux-plaque-pp-alveolaire",
publisher = "Corplex",
}

@misc{Carton2023,
author = {Carton Market},
title = {Cornières, coins, plaques en carton},
year = {2023},
address = "[Accessed in March 2023]",
url = "https://www.cartonmarket.fr/category/cornieres-coins-plaques-en-carton/761/",
}

@misc{Packhelp2022,
url = "https://packhelp.com/types-of-cardboard/",
title = {Types Of Cardboard Used In The Packaging Industry},
author = {Phil Forbes},
publisher = {Packhelp},
year = "2022",
address = "[Accessed in March 2023]",
}

@misc{Grante2022,
url = "https://packhelp.fr/differents-types-carton/",
title = {Ce que sont les différents types de carton},
author = {Pierre Grante},
publisher = {Packhelp},
}
```

```
year = {2022},
address = "[Accessed in March 2023}",
}

@misc{MOUSER,
author = {Mouser},
year = {2023},
url = {https://pt.mouser.com/},
address = "[Accessed in March 2023]",
}

@misc{RS,
author = {RS},
year = {2023},
url = {https://pt.rs-online.com/web/},
address = "[Accessed in March 2023]",
}

@misc{DIGIKEY,
author = {DigiKey},
year = {2023},
url = {https://www.digikey.pt/en},
address = "[Accessed in March 2023]",
}

@misc{PTROBOTICS,
author = {PT Robotics},
year = {2023},
url = {https://www.ptrobotics.com/},
address = "[Accessed in March 2023]",
}

@misc{BOTNROLL,
author = {botnroll},
year = {2023},
url = {https://www.botnroll.com/pt/},
address = "[Accessed in March 2023]",
}

@misc{MAUSER,
author = {Mauser},
year = {2023},
url = {https://mauser.pt/catalog/},
address = "[Accessed in March 2023]",
}

@misc{ELECTROFUN,
author = {Electrofun},
year = {2023},
url = {https://www.electrofun.pt/},
address = "[Accessed in March 2023]",
}
```

```
}

@misc{FARNELL,
  author = {Farnell},
  year = {2023},
  url = {https://pt.farnell.com/},
  address = "[Accessed in March 2023]",
}

@misc{UNI2022,
  title = {What is sustainability? Definition, types and examples},
  author = "Santander Universidades",
  year = {2022},
  url =
{https://www.becas-santander.com/en/blog/what-is-sustainability.html},
  address = "[Accessed in March 2023]",
}

@misc{CLASS2022,
  title = {Economic Sustainability: Definition, Importance, and Examples},
  author = "MasterClass",
  year = {2022},
  url = {https://www.masterclass.com/articles/economic-sustainability},
  address = "[Accessed in March 2023]",
}

@article{GUINEE2011,
  author = {Guin  e, Jeroen B. and Heijungs, Reinout and Huppes, Gjalt and Zamagni, Alessandra and Masoni, Paolo and Buonamici, Roberto and Ekvall, Tomas and Rydberg, Tomas},
  title = {Life Cycle Assessment: Past, Present, and Future},
  journal = {Environmental Science & Technology},
  volume = {45},
  number = {1},
  pages = {90-96},
  year = {2011},
  doi = {10.1021/es101316v},
  note = {PMID: 20812726},
  URL = {https://doi.org/10.1021/es101316v},
  doi = {10.1021/es101316v}
}

@article{VALLANCE2011,
  title = {What is social sustainability? A clarification of concepts},
  journal = {Geoforum},
  volume = {42},
  number = {3},
  pages = {342-348},
  year = {2011},
  note = {Themed Issue: Subaltern Geopolitics},
  issn = {0016-7185},
```

```
doi = {https://doi.org/10.1016/j.geoforum.2011.01.002},
url =
{https://www.sciencedirect.com/science/article/pii/S0016718511000042},
author = {Suzanne Vallance and Harvey C. Perkins and Jennifer E. Dixon},
keywords = {Social sustainability, Sustainable development, Compact city, Resistance, Urban planning, Environmental management, Housing},
abstract = {Though the concept of sustainable development originally included a clear social mandate, for two decades this human dimension has been neglected amidst abbreviated references to sustainability that have focused on bio-physical environmental issues, or been subsumed within a discourse that conflated 'development' and 'economic growth'. The widespread failure of this approach to generate meaningful change has led to renewed interest in the concept of 'social sustainability' and aspects thereof. A review of the literature suggests, however, that it is a concept in chaos, and we argue that this severely compromises its importance and utility. The purpose of this paper is to examine this diverse literature so as to clarify what might be meant by the term social sustainability and highlight different ways in which it contributes to sustainable development more generally. We present a threefold schema comprising: (a) 'development sustainability' addressing basic needs, the creation of social capital, justice and so on; (b) 'bridge sustainability' concerning changes in behaviour so as to achieve bio-physical environmental goals and; (c) 'maintenance sustainability' referring to the preservation – or what can be sustained – of socio-cultural characteristics in the face of change, and the ways in which people actively embrace or resist those changes. We use this tripartite of social sustainabilities to explore ways in which contradictions and complements between them impede or promote sustainable development, and draw upon housing in urban areas as a means of explicating these ideas.}
}

@article{KRISHNAMURTHY2011,
  title = {An Introduction to Ethics},
  author = "Prabhakar Krishnamurthy",
  year = {2011},
  publisher = {Elsevier},
  journal = {SSRN Electronic Journal},
  url = {https://ssrn.com/abstract=1781502},
  doi = {http://dx.doi.org/10.2139/ssrn.1781502}
}

@misc{MACY2017,
  title = {Engineering Ethics and Its Impact on Society},
  author = {William M. Marcy and Jane B. Rathbun},
  year = {2017},
  url =
{https://ethicalengineer.ttu.edu/articles/engineering-ethics-and-its-impact-on-society},
  publisher = {The Ethical Engineer},
  address = "[Accessed in March 2023]"
}
```

```
@article{ZAGONARI2020,
  title={Environmental sustainability is not worth pursuing unless it is
achieved for ethical reasons},
  author={Zagonari, Fabio},
  journal={Palgrave Communications},
  volume={6},
  number={1},
  pages={1--8},
  year={2020},
  publisher={Palgrave}
}

@article{MADHANI2020,
  title = {Ethics in Sales and Marketing: Key Advantages},
  author = "{Pankaj M. Madhani}",
  year = {2020},
  url = {https://ssrn.com/abstract=3764324},
  journal = {Marketing Mastermind},
  volume = {17},
  number = {5},
  pages = {53-58},
}

@article{APPEL2019,
  title = {When Liability and Ethics Diverge},
  author = {Jacob M. Appel},
  year = {2019},
  url = {https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7011297/},
  doi = {10.1176/appi.focus.20190031},
  journal = {Focus},
  volume = 17,
  number = 4,
  pages = {382-386}.
}

@misc{SERVOMOTOR,
  author = "{Electrofun}",
  title = {Servo Motor SM-S4306R},
  year = {2023},
  url = {https://www.electrofun.pt/servo-motores/servo-motor-sm-s4306r},
  address = "{[Accessed in March 2023]}",
}

@misc{ESC,
  author = "{RS Group}",
  title = {STMicroelectronics ESC based on STSPIN32F0A},
  year = {2023},
  url =
{https://pt.rs-online.com/web/p/kits-de-desarrollo-de-alimentacion-motores-y
-robots/1962545},
```

```
    address = "[Accessed in March 2023]",  
}  
  
@misc{SSD,  
    author = "RS Group",  
    title = {SSD Samsung, 500 GB, Externo Sí V-NAND},  
    year = {2023},  
    url = {https://pt.rs-online.com/web/p/discos-duros/2097417},  
    address = "[Accessed in March 2023]",  
}  
  
@misc{LTE,  
    author = "RS Group",  
    title = {LTE IoT MikroElektronika MIKR0E-4388},  
    year = {2023},  
    url =  
{https://pt.rs-online.com/web/p/kits-de-desarrollo-inalambricos-y-de-comunicacion/2493385},  
    address = "[Accessed in March 2023]",  
}  
  
@misc{MICROCONTROLLER,  
    author = "RS Group",  
    title = {Raspberry Pi 4 Modell B 1,5 GHz 8 Gb},  
    year = {2023},  
    url = {https://pt.rs-online.com/web/p/modulos-gnss-y-gps/2473251},  
    address = "[Accessed in March 2023]",  
}  
  
@misc{GNSS,  
    author = "RS Group",  
    title = {DFRobot TEL0138},  
    year = {2023},  
    url = {https://pt.rs-online.com/web/p/modulos-gnss-y-gps/2473251},  
    address = "[Accessed in March 2023]",  
}  
  
@misc{BLDCMOTOR,  
    author = "RS Group",  
    title = {Motor DC RS PRO, 12 VDC 2163787},  
    year = {2023},  
    url = {https://pt.rs-online.com/web/p/motores-dc/2163787},  
    address = "[Accessed in March 2023]",  
}  
  
@misc{CAMERA,  
    author = "RS Group",  
    title = {Raspberry Pi VR 220 Camera},  
    year = {2023},  
    url = {https://pt.rs-online.com/web/p/camaras-para-raspberry-pi/1843078},  
    address = "[Accessed in March 2023]",  
}
```

```
}

@misc{GNSS,
  author = "{RS Group}",
  title = {DFRobot TEL0138},
  year = {2023},
  url = {https://pt.rs-online.com/web/p/modulos-gnss-y-gps/2473251},
  address = "[Accessed in March 2023]",
}

@misc{IMU,
  author = "{RS Group}",
  title = {6 DoF Bosch Sensortec BMI088 SHUTTLE BOARD 3.0},
  year = {2023},
  url =
{https://pt.rs-online.com/web/p/kits-de-desarrollo-de-sensores/2457082},
  address = "[Accessed in March 2023]",
}

@misc{BATTERY,
  author = "botnroll.com",
  title = {HACKER LIPO BATTERY 11,1 V / 2400 MAH},
  year = {2023},
  url =
{https://www.botnroll.com/pt/baterias/1056-hacker-lipobattery74-v-900mah.htm
l},
  address = "[Accessed in March 2023]",
}

@misc{STATS,
  title = {Welcome to the Australian Bureau of Statistics},
  author = "Australian Bureau of Statistics",
  year = {2020},
  url = {https://www.abs.gov.au/},
  address = "[Accessed in March 2023]",
}

@misc{ABS,
  title = {Welcome to the Australian Bureau of Statistics},
  author = "Australian Bureau of Statistics",
  year = {2023},
  url = {https://www.abs.gov.au/},
  address = "[Accessed in March 2023]",
}

@misc{MLA,
  title = {Trends & analysis},
  author = "Meat and Livestock Australia",
  year = {2023},
  url = "{https://www.mla.com.au/prices-markets/Trends-analysis/}",
  address = "[Accessed in March 2023]",
}
```

```
}

@misc{LaScala,
  title = "{Top 10 Australia's Biggest Cattle Stations}",
  author = "{International Competence Center on Large Scale Agriculture}",
  year = {2018},
  url =
"{https://www.largescaleagriculture.com/home/news-details/top-10-australias-
biggest-cattle-stations/}",
  address = "{[Accessed in March 2023]}",
}

@misc{Stationlife,
  title = "{Australian agricultural and rural life}",
  year = {2023},
  url =
"{https://www.sl.nsw.gov.au/stories/australian-agricultural-and-rural-life/s
tation-life}",
  author = "{State Library of New South Wales}",
  address = "{[Accessed in March 2023]}",
}

@misc{CREEK2020,
  author= "{Entegra Signature Structures}",
  title = "{Anna Creek - The biggest Cattle Station in Australia}",
  year = "{2020}",
  url =
"{https://www.entegra.com.au/anna-creek-the-biggest-cattle-station-in-austra
lia/}",
  address = "{[Accessed in March 2023]}",
}

@misc{CHIN02010,
  author = {Mike Chino},
  title = "{Solar-powered blimp set to fly across Channel}",
  journal = "{The Guardians}",
  year = "{2010}",
  url =
"{https://www.theguardian.com/environment/2009/jul/08/network-solarpower}",
  address = "{[Accessed in March 2023]}",
}

@misc{EPS2023,
  author = "{European Project Semester}",
  title = "{European Project Semester}",
  year = "{2023}",
  url = "{http://europeanprojectsemester.eu}",
  address = "{[Accessed in March 2023]}",
}

@misc{GRANT2022,
```

```
title={What is scope? Understanding project scope vs. product scope},
url={https://www.investopedia.com/terms/s/scope.asp},
author={Grant, Mitchell},
year={2022},
address = "[Accessed in March 2023]",
}

@misc{MRAZ2022,
    author = {Stephen J. Mraz},
    title = "{Building the Hydrogen Highway}",
    year = "{2022}",
    url =
"{https://www.machinedesign.com/mechanical-motion-systems/article/21253564/b
uilding-the-hydrogen-highway}",
    address = "[Accessed in March 2023]",
}

@misc{RIDDEN2010,
    author = {Paul Ridden},
    title = "{Zeppy 3: wind-powered airship to attempt Mediterranean
crossing}",
    year = "{2010}",
    url =
"{https://newatlas.com/zeppy3-sail-balloon-mediterranean-crossing-attempt/15
552/}",
    address = "[Accessed in March 2023]",
}

@article{ZUERL2022,
    AUTHOR = {Zuerl, Matthias and Stoll, Philip and Brehm, Ingrid and Raab,
René and Zanca, Dario and Kabri, Samira and Happold, Johanna and Nille,
Heiko and Prechtel, Katharina and Wuensch, Sophie and Krause, Marie and
Seegerer, Stefan and von Fersen, Lorenzo and Eskofier, Bjoern},
    TITLE = {Automated Video-Based Analysis Framework for Behavior
Monitoring of Individual Animals in Zoos Using Deep Learning -- A Study on
Polar Bears},
    JOURNAL = {Animals},
    VOLUME = {12},
    YEAR = {2022},
    NUMBER = {6},
    ARTICLE-NUMBER = {692},
    URL = {https://www.mdpi.com/2076-2615/12/6/692},
    ISSN = {2076-2615},
    ABSTRACT = {The monitoring of animals under human care is a crucial tool
for biologists and zookeepers to keep track of the animals' physical
and psychological health. Additionally, it enables the analysis of observed
behavioral changes and helps to unravel underlying reasons. Enhancing our
understanding of animals ensures and improves ex situ animal welfare as well
as in situ conservation. However, traditional observation methods are time-
and labor-intensive, as they require experts to observe the animals on-site
during long and repeated sessions and manually score their behavior.}
}
```

Therefore, the development of automated observation systems would greatly benefit researchers and practitioners in this domain. We propose an automated framework for basic behavior monitoring of individual animals under human care. Raw video data are processed to continuously determine the position of the individuals within the enclosure. The trajectories describing their travel patterns are presented, along with fundamental analysis, through a graphical user interface (GUI). We evaluate the performance of the framework on captive polar bears (*Ursus maritimus*). We show that the framework can localize and identify individual polar bears with an F1 score of 86.4%. The localization accuracy of the framework is 19.9&plusmn;7.6 cm, outperforming current manual observation methods. Furthermore, we provide a bounding-box-labeled dataset of the two polar bears housed in Nuremberg Zoo.},

DOI = {10.3390/ani12060692}

}

```
@article{LI2022,
  AUTHOR = {Li, Xiaohui and Huang, Hailong and Savkin, Andrey V. and
  Zhang, Jian},
  TITLE = {Robotic Herding of Farm Animals Using a Network of Barking
  Aerial Drones},
  JOURNAL = {Drones},
  VOLUME = {6},
  YEAR = {2022},
  NUMBER = {2},
  ARTICLE-NUMBER = {29},
  URL = {https://www.mdpi.com/2504-446X/6/2/29},
  ISSN = {2504-446X},
  ABSTRACT = {This paper proposes a novel robotic animal herding system
  based on a network of autonomous barking drones. The objective of such a
  system is to replace traditional herding methods (e.g., dogs) so that a
  large number (e.g., thousands) of farm animals such as sheep can be quickly
  collected from a sparse status and then driven to a designated location
  (e.g., a sheepfold). In this paper, we particularly focus on the motion
  control of the barking drones. To this end, a computationally efficient
  sliding mode based control algorithm is developed, which navigates the
  drones to track the moving boundary of the animals' footprint and enables
  the drones to avoid collisions with others. Extensive computer simulations,
  where the dynamics of the animals follow Reynolds' rules, show the
  effectiveness of the proposed approach.},
  DOI = {10.3390/drones6020029}
```

}

```
@misc{SETIA2020,
  author = {Rajni Setia},
  title = "{Role of IoT in Promoting Livestock Health through Remote
  Monitoring and Data-Driven Decision-Making}",
  year = "{2020}",
  url = {
  "https://circuitdigest.com/article/role-of-iot-in-promoting-livestock-throu
  gh-remote-monitoring-and-data-driven-decision-making"}},
```

```
address = "[Accessed in March 2023]",  
}  
  
@misc{WELLS2021,  
  author = {Kaitlyn Wells},  
  title = "{The Best GPS Dog Collars and Pet Trackers}",  
  year = "{2021}",  
  url =  
  "{https://www.nytimes.com/wirecutter/reviews/best-gps-pet-trackers/}",  
  address = "[Accessed in March 2023]",  
}  
  
@misc{ROGER2020,  
  author = {Roger},  
  title = "{How to Use RFID Technology for Cattle Tracking}",  
  year = "{2020}",  
  url =  
  "{https://www.rfidfuture.com/rfid-technology-for-cattle-tracking.html}",  
  address = "[Accessed in March 2023]",  
}  
  
@article{LIA02009,  
  title = {A review of airship structural research and development},  
  journal = {Progress in Aerospace Sciences},  
  volume = {45},  
  number = {4},  
  pages = {83-96},  
  year = {2009},  
  issn = {0376-0421},  
  doi = {https://doi.org/10.1016/j.paerosci.2009.03.001},  
  url =  
  "{https://www.sciencedirect.com/science/article/pii/S0376042109000153}",  
  author = {Lin Liao and Igor Pasternak},  
  abstract = {The research and development of diverse types of airships are reviewed in this paper. The early history of non-rigid, semi-rigid, and rigid airships is first introduced. It is followed by a description of a wide variety of unconventional airships with distinct features due to unique shape design, lifting gas, operation mode, or payload capability. The current ongoing airship projects in the world are summarized and the characteristics of hybrid airships and heavy-lift air vehicles are analyzed in greater detail because of the increasing interest in their development. The techniques of modeling, structural analysis, and simulation used during airship development are reviewed. Also, the optimization of airship body shape is briefly discussed. The main emphasis of this review is on the consideration of the structural aspects.}  
}  
  
@misc{ROS2023,  
  author = {Miquel Ros},  
  title = "{Ariane rockets to be carried by airships, new deal with Flying Whales reveals}",
```

```
year      = "{2023}",
url      =
"{https://www.aerotime.aero/articles/ariane-rockets-to-be-carried-by-airships-new-deal-with-flying-whales-reveals}",
address  = "[Accessed in March 2023]",
}

@misc{MORRISON2020,
author  = {Murdo Morrison},
title   = "{Israeli developer has freight expectations for hybrid airship}",
year    = "{2020}",
url     =
"{https://www.flightglobal.com/aerospace/israeli-developer-has-freight-expectations-for-hybrid-airship/141655.article}",
address  = "[Accessed in March 2023]",
}

@misc{EPSTEIN2021,
author  = {Jake Epstein},
title   = "{Not a bird, not a plane: Startup hopes to hit skies with 'eco-friendly' blimps}",
journal = "{The Times of Israel}",
year    = "{2021}",
url     =
"{https://www.timesofisrael.com/not-a-bird-not-a-plane-startup-hopes-to-hit-skies-with-eco-friendly-blimps/}",
address  = "[Accessed in March 2023]",
}

@misc{PIESING2019,
author  = {Mark Piesing},
title   = "{Airships lost out to conventional aircraft after a series of disastrous crashes. But now safer technology could be the key to their return.}",
journal = "{BBC}",
year    = "{2019}",
url     =
"{https://www.bbc.com/future/article/20191107-how-airships-could-return-to-our-crowded-skies}",
address  = "[Accessed in March 2023]",
}

@misc{CHANG2006,
author  = {Alicia Chang},
title   = "{Robo-blimps could bring you wireless}",
journal = "{NBC News}",
year    = "{2006}",
url     =
"{https://www.nbcnews.com/id/wbna14417573}",
address  = "[Accessed in March 2023]",
```

```
}

@misc{STOECKMANN2017,
  author  = {Elizabeth Stoeckmann},
  title   = "{$Aloft and Alert}" ,
  journal = "{$DLA Energy Public Affairs}" ,
  year    = "{$2017}" ,
  url     =
 "{$https://www.dla.mil/About-DLA/News/News-Article-View/Article/1155649/aloft-and-alert/}" ,
  address = "{$[Accessed in March 2023]}" ,
}

@misc{EDDY2011,
  author  = {Melissa Eddy},
  title   = "{$Goodyear blimp –advertising safety – crashes}" ,
  journal = "{$cs monitor}" ,
  year    = "{$2011}" ,
  url     =
 "{$https://www.csmonitor.com/Business/Latest-News-Wires/2011/0614/Goodyear-blimp-advertising-safety-crashes}" ,
  address = "{$[Accessed in March 2023]}" ,
}

@misc{CHIN02010,
  author  = {Mike Chino},
  title   = "{$Solar-powered blimp set to fly across Channel}" ,
  journal = "{$The Guardians}" ,
  year    = "{$2010}" ,
  url     =
 "{$https://www.theguardian.com/environment/2009/jul/08/network-solarpower}" ,
  address = "{$[Accessed in March 2023]}" ,
}

@misc{HASTRICH2011,
  author  = {Karl Hastrich},
  title   = "{$Flying Penguins and Mechanical Jellyfish to Change the World}" ,
  url     =
 "{$https://bouncingideas.wordpress.com/2011/07/27/flying-penguins-and-mechanical-jellyfish-to-change-the-world/}" ,
  year    = "{$2011}" ,
  address = "{$[Accessed in March 2023]}" ,
}

@article{GOEBEL2007,
author = {Goebel, Dan and Wirz, Richard and Katz, Israel},
year = {2007},
month = {09},
pages = {1055-1067},
title = {Analytical Ion Thruster Discharge Performance Model},
```

```
volume = {23},
journal = {Journal of Propulsion and Power},
doi = {https://doi.org/10.2514/1.26404},
}

@misc{MURATA,
  author  = "{$ Murata Manufacturing Co., Ltd. }",
  title   = "{$ Basic knowledge of microblower (Air pump) }",
  url     =
 "{$ https://www.murata.com/en-eu/products/mechatronics/fluid/overview/basics }",
  address = "{$ [Accessed in March 2023] }",
  year   = {2023},
}

@misc{AERODRUM2018,
  author  = "{$ Aero Drum Ltd }",
  title   = "{$ 5 m Outdoor Blimp }",
  url     = "{$ https://www.rc-zeppelin.com/outdoor-rc-blimps-5m.html }",
  year   = {2018},
  address = "{$ [Accessed in March 2023] }",
}

@misc{ROWNTREE2021,
  author  = {Dave Rowntree},
  title   = "{$ Indoor Blimp Sails Through The Air Using Ultrasonic Transducers }",
  url     = "{$ https://hackaday.com/?p=508790 }",
  urldate = "{$ November 2021 }",
  year   = {2021},
  address = "{$ [Accessed in March 2023] }",
}

@article{PHEH2022,
  title = {Spherical Indoor Coandă Effect Drone (SpICED): A Spherical Blimp SUAS for Safe Indoor Use},
  journal = {Drones},
  volume = {9},
  pages = {30},
  year = {2022},
  doi = {https://doi.org/10.3390/drones6090260},
  url = {https://www.mdpi.com/2504-446X/6/9/260},
  author = {Ying Hong Pheh and Shane Kyi Hla Win and Shaohui Foong},
  abstract = {Even as human–robot interactions become increasingly common, conventional small Unmanned Aircraft Systems (sUAS), typically multicopters, can still be unsafe for deployment in an indoor environment in close proximity to humans without significant safety precautions. This is due to their fast-spinning propellers, and lack of a fail-safe mechanism in the event of a loss of power. A blimp, a non-rigid airship filled with lighter-than-air gases is inherently safer as it 'floats' in the air and is generally incapable of high-speed motion. The Spherical Indoor Coandă Effect}
}
```

Drone (SpICED), is a novel, safe spherical blimp design propelled by closed impellers utilizing the Coandă effect. Unlike a multicopter or conventional propeller blimp, the closed impellers reduce safety risks to the surrounding people and objects, allowing for SpICED to be operated in close proximity with humans and opening up the possibility of novel human-drone interactions. The design implements multiple closed-impeller rotors as propulsion units to accelerate airflow along the the surface of the spherical blimp and produce thrust by utilising the Coandă effect. A cube configuration with eight uni-directional propulsion units is presented, together with the closed-loop Proportional–Integral–Derivative (PID) controllers, and custom control mixing algorithm for position and attitude control in all three axes. A physical prototype of the propulsion unit and blimp SUAS was constructed to experimentally validate the dynamic behavior and controls in a motion-captured environment, with the experimental results compared to the side-tetra configuration with four bi-directional propulsion units as presented in our previously published conference paper. An up to 40 \% reduction in trajectory control error was observed in the new cube configuration, which is also capable of motion control in all six Degrees of Freedom (DoF) with additional pitch and roll control when compared to the side-tetra configuration.}

}

```
@mastersthesis{HOLLINGER2005,
author = {Hollinger, Geoffrey and Pezzementi, Zachary and Flurie, Alexander and Maxwell, Bruce},
year = {2005},
month = {01},
url =
{https://www.swarthmore.edu/sites/default/files/assets/documents/engineering/ZachAlexGeoffFinalE90.pdf},
pages = {19},
title = {Design and Construction of an Indoor Robotic Blimp for Urban Search and Rescue Tasks},
type={Senior Design Thesis},
institution = {Swarthmore College},
address = {Swarthmore College Senior Design Thesis},
}
```

```
@article{WANG2020,
title = {Disturbance compensation based controller for an indoor blimp robot},
journal = {Robotics and Autonomous Systems},
volume = {124},
pages = {103402},
year = {2020},
issn = {0921-8890},
doi = {https://doi.org/10.1016/j.robot.2019.103402},
url = {https://www.sciencedirect.com/science/article/pii/S0921889019304683},
author = {Yue Wang and Gang Zheng and Denis Efimov and Wilfrid Perruquetti},
keywords = {Blimp robot, Navigation, Estimation, Uncertainty compensation,
```

```
Robust control},
```

```
abstract = {This paper presents the robust controller design for an indoor blimp robot to achieve application such as the surveillance. The commonly used 6 degrees of freedom dynamic model is simplified under reasonable assumptions and decoupled into two independent parts. The blimp simplified horizontal plane movement model is complemented with disturbance terms to ensure the modeling accuracy, then it is transformed to a simpler form for the ease of controller design. Next, the disturbance terms are evaluated by the designed real-time estimator, and the perturbation estimates are compensated in the conceived motion controller for cancellation of the influence of disturbances. The performance and robustness of the disturbance compensation-based controller are verified by both simulations and experiments on the developed blimp robot. Finally, the results prove the feasibility of the blimp robot in indoor surveillance application by stabilizing itself at a fixed position or patrolling along a predefined path.},
```

```
}
```

```
@InProceedings{REIS2020,
```

```
  author="dos Reis, Alexandre Soares
```

```
  and Gielen, Elien
```

```
  and Wopereis, Ko
```

```
  and Pasternak, Marcel
```

```
  and Sooäär, Vaido
```

```
  and Schneider, Tobias
```

```
  and Duarte, Abel J.
```

```
  and Malheiro, Benedita
```

```
  and Justo, Jorge
```

```
  and Ribeiro, Cristina
```

```
  and Silva, Manuel F.
```

```
  and Ferreira, Paulo
```

```
  and Guedes, Pedro",
```

```
  editor="Silva, Manuel F.
```

```
  and Luís Lima, José
```

```
  and Reis, Luís Paulo
```

```
  and Sanfeliu, Alberto
```

```
  and Tardioli, Danilo",
```

```
  title="Smart Companion Pillow -- An EPS@ISEP 2019 Project",
```

```
  booktitle="Robot 2019: Fourth Iberian Robotics Conference",
```

```
  year="2020",
```

```
  publisher="Springer International Publishing",
```

```
  address="Cham",
```

```
  pages="465--476",
```

```
  abstract="This paper describes the design and development of a Smart Companion Pillow, named bGuard, designed by a multinational and multidisciplinary team enrolled in the European Project Semester (EPS) at Instituto Superior de Engenharia do Porto (ISEP) in the spring of 2019. Nowadays, parents spend most of the day at work and become naturally worried about the well-being of their young children, specially babies. The aim of bGuard is to provide a 24-hour remotely accessible baby monitoring service, contributing to reduce parenting stress. The team, based on the survey of
```

related products, as well as on marketing, sustainability, ethics and deontology analyses, developed a remotely interactive Smart Companion Pillow to monitor the baby's health and room air quality. The collected data, once it is saved on an Internet of Things (IoT) platform, becomes remotely accessible. The bGuard pillow, thanks to its shape, reduces the risk of the baby rolling from back to tummy, lowering the risk of Sudden Infant Death Syndrome (SIDS).",  
isbn="978-3-030-36150-1"

}

```
@article{LEE2018,
  title = "Design and Implementation of Monitoring System Architecture for
Smart Bicycle Platform",
  journal = "Procedia Computer Science",
  volume = "134",
  pages = "464 - 469",
  year = "2018",
  note = "The 15th International Conference on Mobile Systems and
Pervasive Computing (MobiSPC 2018) / The 13th International Conference on
Future Networks and Communications (FNC-2018) / Affiliated Workshops",
  issn = "1877-0509",
  doi = "https://doi.org/10.1016/j.procs.2018.07.182",
  url =
"http://www.sciencedirect.com/science/article/pii/S1877050918311475",
  author = "YeongKyun Lee and Jongpil Jeong",
  keywords = "Remote monitoring, Wireless sensor network, Smart phone
based monitoring, Bicycle monitoring",
  abstract = "This paper proposes the smart phone as a central monitoring
device for the bicycle and the WIFI network as a communication channel
between the smart phone and the sensors. It will show how to implement the
sensor boards with WIFI and relevant firmware, the software on the smart
phone to communicate with the sensor boards and the evaluation results with
the open source software called Goldencheetah. The knowledge in this paper
is not limited to bicycles but can be expanded to any other monitoring
systems using the remote sensors based on smart phone."
}
```

```
@article{RANJITH2020,
  title = "Prediction of Exhaust Gas Emission characteristics using Neem
oil blended bio- diesel in diesel engine",
  journal = "Materials Today: Proceedings",
  volume = "21",
  pages = "870 - 875",
  year = "2020",
  note = "International Conference on Recent Trends in Nanomaterials for
Energy, Environmental and Engineering Applications",
  issn = "2214-7853",
  doi = "https://doi.org/10.1016/j.matpr.2019.07.706",
  url =
"http://www.sciencedirect.com/science/article/pii/S2214785319329116",
  author = " Ranjith and V. Velmurugan and S. Thanikaikarasan",
```

```
    keywords = "Accelerometer, Diesel engine, Neem oil, Renewable, Alternative, Viscosity, Volatility",
    abstract = "As a renewable, sustainable and alternative fuel for diesel engine, biodiesel instead of diesel has been increasingly fuelled to study its effects on engine performances and emissions. Biodiesel production is a modern and technological area for researchers due to constant increase in the prices of petroleum, diesel, and environmental advantages. Increased environmental awareness and depletion of resources are driving industry to develop viable alternative fuels from renewable resources that are environmentally more acceptable. Neem oil is a potential alternative fuel. The most detrimental properties of neem oils are its high viscosity and low volatility, and these cause several problems during their long duration usage in diesel engines. From the review it is found that the use of biodiesel leads to the substantial reduction in CO2, HC, CO and NOx emissions."
}

@article{SOBHANI2018,
    title = "Impact of smartphone distraction on pedestrians crossing behaviour: An application of head-mounted immersive virtual reality",
    journal = "Transportation Research Part F: Traffic Psychology and Behaviour",
    volume = "58",
    pages = "228 - 241",
    year = "2018",
    issn = "1369-8478",
    doi = "https://doi.org/10.1016/j.trf.2018.06.020",
    url =
    "http://www.sciencedirect.com/science/article/pii/S1369847818300998",
    author = "Anae Sobhani and Bilal Farooq",
    keywords = "Head-mounted immersive virtual reality, Pedestrian, Distracted street crossing, Multi-tasking, Smartphone use, Surrogate analysis, Smart LED lights safety treatment",
    abstract = "A novel head-mounted virtual immersive/interactive reality environment (VIRE) is utilized to evaluate the behaviour of participants in three pedestrian road crossing conditions while 1) not distracted, 2) distracted with a smartphone, and 3) distracted with a smartphone with a virtually implemented safety measure on the road. Forty-two volunteers participated in our research who completed thirty successful (complete crossing) trials in blocks of ten trials for each crossing condition. For the two distracted conditions, pedestrians are engaged in a maze-solving game on a virtual smartphone, while at the same time checking the traffic for a safe crossing gap. For the proposed safety measure, smart flashing and color changing LED lights are simulated on the crosswalk to warn the distracted pedestrian who initiates crossing. Surrogate safety measures as well as speed information and distraction attributes such as direction and orientation of participants head were collected and evaluated by employing a Multinomial Logit (MNL) model. Results from the model indicate that females have more dangerous crossing behaviour especially in distracted conditions; however, the smart LED treatment reduces this negative impact. Moreover, the number of times and the percentage of duration the head was facing the
```

smartphone during a trial and a waiting time respectively increase the possibility of unsafe crossings; though, the proposed treatment reduces the safety crossing rate. Hence, our study shows that the smart LED light safety treatment indeed improves the safety of distracted pedestrians and enhances the successful crossing rate."

}

```
@article{OBAYASHI2020,
  title = "Pilot and Feasibility Study on Elderly Support Services Using Communicative Robots and Monitoring Sensors Integrated With Cloud Robotics",
  journal = "Clinical Therapeutics",
  year = "2020",
  issn = "0149-2918",
  doi = "https://doi.org/10.1016/j.clinthera.2020.01.001",
  url =
  "http://www.sciencedirect.com/science/article/pii/S0149291820300278",
  author = "Kazuko Obayashi and Shigeru Masuyama",
  keywords = "activities of daily living, cloud robotics, communicative robot, elderly care, robotics utilization, support services",
  abstract = "Purpose
```

This pilot before-after study investigated the possible effects of communicative robots, used with a sensing system supported by cloud robotics, in caring for elderly people.

#### Methods

Two elderly women in nursing homes and 4 care workers participated in the trial. The overnight life rhythm assessments of the study participants and care workers were surveyed to determine when and how the robots should be integrated into care. The system consisted of the robot Sota, a noncontact vital sensor and a sheet-shaped bed sensor. Real-time sensing data and conversations between the participants and robots were sent to the servers, prompting a quick verbal response by the robot supported by cloud robotics.

#### Findings

Care workers devoted 3 h to the maintenance of records during their most stressful periods. Automatic recording of vital information using robot sensors can improve the quality of nursing care work. Care workers' stress levels were maximized when responding to nurse calls. Temporary responses to nurse calls by the robots may help to effectively reduce the burden on nursing care workers. Robots can stimulate elderly people to communicate more with others ( $P < 0.05$ ). Appropriate vocalization by communicative robots may prevent the deterioration of quality of life in elderly individuals.

#### Implications

Communicative robots, used with a sensing system, may stimulate elderly people to activate a communication link with others and help care workers to effectively reduce the burden during the night shift. A follow-up study involving a broader research program on communicative robots and elderly care would be beneficial."

}

```
@article{THAPA2019,
```

```
title = "Study on the wintry thermal improvement of makeshift shelters  
built after Nepal earthquake 2015",  
journal = "Energy and Buildings",  
volume = "199",  
pages = "62 - 71",  
year = "2019",  
issn = "0378-7788",  
doi = "https://doi.org/10.1016/j.enbuild.2019.06.031",  
url =  
"http://www.sciencedirect.com/science/article/pii/S0378778819306309",  
author = "Rita Thapa and Hom Bahadur Rijal and Masanori Shukuya and  
Hikaru Imagawa",  
keywords = "Nepal, Earthquake, Temporary shelters, Indoor air  
temperature, Thermal insulation, Thermal improvement",  
abstract = "After massive earthquake 2015, thousands of Nepalese who  
lost their permanent houses by the hardest hits were forced to live in  
makeshift temporary shelters. The field measurement on indoor thermal  
environment in five shelters was conducted in one of the district hit by the  
earthquake, Lalitpur, in winter. The mean indoor and outdoor air  
temperatures during the measured nighttime were found to be 10.3 °C and 7.6  
°C, respectively, and the nocturnal indoor air temperature remained below  
the lowest acceptable temperature of 11 °C. This result assured that these  
shelters are not good for winter and must create various problems. We  
therefore analyzed the thermal characteristics of those shelters based on  
the measured results in order to seek a possible improvement. The total heat  
loss coefficient estimated per floor area in five shelters ranged from 11.3  
to 15.2 W/(m2·K); that is thermal insulation was very low. We made a simple  
numerical analysis on the variation of indoor air temperature with the  
assumption of improved thermal characteristics and thereby found that it  
needs to be reduced about 2~7 W/(m2·K) to have the indoor air temperature  
higher than 11 °C for 70% of the whole nocturnal hours. Such reduction of  
heat loss was found to be realized by adding affordable materials, e.g.,  
cellular polyethylene foam and clothes for respective walls and roof. Thus,  
the knowledge obtained from this study should hopefully be applied to actual  
improvement of indoor thermal environment in existing shelters and also to a  
development for the preparation against future disaster."  
}  
  
@MISC{gartner2021,  
author = "{Gartner}",  
title = "{Gartner Magic Quadrant for Data Science and Machine Learning  
Platforms}",  
url = "{https://www.gartner.com/en/documents/3998753}",  
urldate = "{March 2021}",  
year = "{2021}",  
address = "[Accessed in April 2021]",  
}  
  
@MISC{android41,  
author = "{Android Open Source Project}",  
title = "{Android Developers: Android 4.1 APIs}. January 2015. [Accessed
```

```
in April, 2017]",
  url      =
"`${http://developer.android.com/about/versions/android-4.1.html}`",
  urldate = "{May 2014}",
  year    = "{2014}",
  address = "[Accessed in April 2017]",
}

@MISC{cloudexpo2008,
  AUTHOR  = "{Cloud Expo}",
  title   = "{Twenty-One Experts Define Cloud Computing}",
  url     = "`${http://cloudcomputing.sys-con.com/node/612375}`",
  urldate = "{October 2013}",
  year    = "{2008}",
  address = "[Accessed in April 2021]",
}

@BOOK{bandyopadhyay2013unsupervised,
  title={Unsupervised Classification: Similarity Measures, Classical and
Metaheuristic Approaches, and Applications},
  author={Bandyopadhyay, Sanghamitra and Saha, Sriparna},
  year={2013},
  isbn={978-3-642-32450-5},
  publisher={Springer},
  address = {Berlin, Germany},
  doi = {10.1007/978-3-642-32451-2}
}

@ARTICLE{llorente2009virtual,
  author = "{Sotomayor, B. and Montero, Ruben S. and Llorente, I.M. and
Foster, I.}",
  journal = "Internet Computing, IEEE",
  title   = "{Virtual Infrastructure Management in Private and Hybrid
Clouds}",
  year    = "{2009}",
  month   = "{Sept}",
  volume  = "{13}",
  number  = "{5}",
  pages   = "{14-22}",
  abstract = {One of the many definitions of "cloud" is that of an
infrastructure-as-a-service (IaaS) system, in which IT infrastructure is
deployed in a provider's data center as virtual machines. With IaaS clouds'
growing popularity, tools and technologies are emerging that can transform
an organization's existing infrastructure into a private or hybrid cloud.
OpenNebula is an open source, virtual infrastructure manager that deploys
virtualized services on both a local pool of resources and external IaaS
clouds. Haizea, a resource lease manager, can act as a scheduling back end
for OpenNebula, providing features not found in other cloud software or
virtualization-based data center management software.},
  doi = {10.1109/MIC.2009.119}
}
```

```
}

@article{Mulder2013428,
  title = "Development of a Motion System for an Advanced Sailing Simulator",
  journal = "Procedia Engineering",
  volume = "60",
  number = "0",
  pages = "428 - 434",
  year = "2013",
  note = "6th Asia-Pacific Congress on Sports Technology (APCST) ",
  issn = "1877-7058",
  doi = "http://dx.doi.org/10.1016/j.proeng.2013.07.030",
  url =
  "http://www.sciencedirect.com/science/article/pii/S1877705813010813",
  author = "Fabian A. Mulder and Jouke C. Verlinden",
  keywords = "Sailing",
  keywords = "Dinghy",
  keywords = "Virtual reality",
  keywords = "Training simulation",
  keywords = "Force feedback",
  abstract = "Abstract To train competitive sailing in a virtual setting, motion of the boat as well as haptic feedback of the sail lines is essential. When discussing virtual environments (VEs) the concept of presence is often used. In this study we develop a sailing simulator motion system to research what factors contribute to the participants' sensation of presence when sailing in a VE. The developed simulator includes the development of a mainsheet force feedback system and a novel motion platform, connected to a high-quality graphics sailing simulation. In future research, the developed system will be used to study which sail training type can be performed in simulated environments, and if the system can be used as a valid testbed for perception-action experiments."
}
```

From:  
<https://www.eps2023-wiki5.dee.isep.ipp.pt/> - **EPS@ISEP**



Permanent link:  
<https://www.eps2023-wiki5.dee.isep.ipp.pt/doku.php?id=refnotes:bib>

Last update: **2023/05/25 19:55**